

Date of Issue/re-issue: 19/12/2018

Expiry: 01/01/2024

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Company Name

ECP Limited

Address:

39 Woodside Ave, Northcote, Auckland , New Zealand

Emergency Tel: 0800 243 622 or0800 CHE M CA LL		Tel +64 9 480 4386			FAX +64 9 480 4385	
Product	Butan-2-ol				Code	1650
CAS#	HSNO#	UN #	DG Class/es	Packing group #	Tracking?	Handlers Certificate?
78-92-2	HSR001098	1120	3	III	No	No

Recommended use: Laboratory Investigations**2. Hazards identification****2.1 GHS Classification**

Flammable Liquids (Category C)

Acute toxicity, Oral (Category E)

Acute toxicity, Dermal (Category E)

Eye irritation (Category A)

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word **Warning**

Hazard statement(s)

H226 Flammable liquid and vapour.

H303 May be harmful if swallowed.

H313 May be harmful in contact with skin.

H319 Causes serious eye irritation.

Precautionary statement(s)

Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

2.3 Other hazards

None

3. Composition/information on ingredients

3.1 Substances

Synonyms:

sec-Butyl alcohol

(±)-2-Butanol

Formula: C₄H₁₀O

Molecular weight: 74.12 g/mol

Component	Concentration
Butan-2-ol	
CAS No.	78-92-2
	<=100%

4. First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Nausea, dizziness, headache.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal.

7. Handling and storage

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal.

8. Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits Table

Component	CAS No	Value	Control parameters	Basis
Butan-2-ol	78-92-2	WES-TWA	100 ppm 303 mg/m ³	New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards.

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm

Break through time: 480 min

Splash contact

Material: Nature latex/chloroprene

Minimum layer thickness: 0.6 mm

Break through time: 30 min

Body Protection

Impervious clothing. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination or respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance

Form: liquid

b) Odour

No data available

c) Odour Threshold

No data available

d) pH

No data available

e) Melting point/freezing point

Melting point/range: -115 °C - lit.

f) Initial boiling point and boiling range

98 °C - lit.

g) Flash point

27 °C - closed cup

h) Evaporation rate

No data available

i) Flammability (solid, gas)

No data available

j) Upper/lower flammability or explosive limits

Upper explosion limit: 9.8 %(V)

Lower explosion limit: 1.7 %(V)

k) Vapour pressure

15.3 hPa at 20 °C 24.4 hPa at 25 °C

l) Vapour density

2.56 - (Air = 1.0)

m) Relative density

0.808 g/cm³ at 25 °C

n) Water solubility

Soluble

o) Partition coefficient: n-octanol/water

log Pow: 0.146

p) Auto-ignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity

No data available

10. Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

No data available

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Acids, Acid chlorides, Acid anhydrides, Oxidizing agents, Halogens, Peroxides

10.6 Hazardous decomposition products

Other decomposition products

No data available

11. Toxicological information

11.1 Information on toxicological effects Acute toxicity

LD50 Oral - Rat - male and female - 2,193 mg/kg

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

Skin corrosion/irritation

Skin - Rabbit - No skin irritation - 4 h - OECD Test Guideline 404

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

Maximisation Test (GPMT) - Guinea pig - Does not cause skin sensitisation. - OECD Test Guideline 406

Germ cell mutagenicity

Genotoxicity in vitro - Ames test - S. typhimurium - with and without metabolic activation - negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

Reproductive toxicity - Rat - Inhalation

Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).

Effects on Embryo or Fetus: Fetal death.

Specific Developmental Abnormalities: Musculoskeletal system.

Developmental Toxicity - Rat - Inhalation

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Potential health effects

Inhalation

May be harmful if inhaled. Causes respiratory tract irritation. Vapours may cause drowsiness and dizziness.

Ingestion

May be harmful if swallowed.

Skin

May be harmful if absorbed through skin. May cause skin irritation.

Eyes

Causes serious eye irritation.

Signs and Symptoms of Exposure

Nausea, Dizziness, Headache.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Additional Information

RTECS: EO1750000

12. Ecological information

12.1 Toxicity

Toxicity to fish

LC50 - Pimephales promelas (fathead minnow) - 3,670 mg/l - 96 h static test

LC50 - Leuciscus idus melanotus - 3,520 - 3,540 mg/l - 48 h

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 4,227 mg/l - 48 h

12.2 Persistence and degradability

Biodegradability

Aerobic - Exposure time 5 d Result: 86 % - Readily biodegradable

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

No data available

13. Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product

14. Transport Information Table

		ADR/RID – European packaging certification	IMDG International Maritime Dangerous Goods Code	IATA – DGR International Air Travel Association – Dangerous Goods Regulations
14.1	UN Number	1120	1120	1120
14.2	UN Proper Shipping name	BUTANOLS	BUTANOLS	Butanols
14.3	Transport Hazard Class	3	3	3
14.4	Packaging group	III	III	III
14.5	Environmental Hazards	No	No	No
14.6	Special precautions	No data available.		

	for user	
--	----------	--

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

HSNO Approval Code: HSR001098

HSNO Group Standard Approval: HSR002596 - Laboratory Chemicals and Reagent Kits Group Standard 2006

Tracking Required: not required

Approved Handler Cert.: not required

16. Disclaimer

The information above is believed to be accurate and represents the best information currently available to us. However, the information is not a guarantee expressed or implied, with respect to such information, and we assume no liability resulting from its use. Anyone using the chemical described here should ensure that he or she has the appropriate training and has the expertise and any equipment required for safe handling. If clarification or further information is required, please contact ECP Ltd or refer to the official handler of dangerous goods within your own company. The user should also make their own investigations to determine the suitability of the product for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.

END**END*****END*****END*****END***