#### SDS 2010 Copper (II) Chloride

## Date of Issue/re-issue: 03/12/2018 Expiry 01/01/2023

#### **1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

ECP Limited

Address: 39 Woodside Ave, Northcote, Auckland , New Zealand

Emergency Tel: 0800 243 622 or 0800 CHE M CA LL			Tel +64 9 480 4386			FAX +64 9 480 4385		
Product	Copper (II) Chloride				Code		2010	
CAS#	HSNO#	UN #	DG	Packing group # T		Tracking?	Handlers	
			Class/es				Certificate?	
7447-39-4	HSR002596	2802	8	III		No	No	

**Recommended use:** Laboratory Investigations

#### 2. Hazards identification

Pictogram

**Company Name** 

2.1 GHS Classification
Acute toxicity, Oral (Category D)
Skin irritation (Category A)
Eye irritation (Category A)
Aquatic toxicity (Acute or Chronic) (Category A)
2.2 GHS Label elements, including precautionary statements



# Signal word **Warning**

Hazard statement(s) H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. Precautionary statement(s) Prevention P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment. P280 Wear protective gloves. Response P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see supplemental first aid instructions on this label). P330 Rinse mouth. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P391 Collect spillage.

Disposal P501 Dispose of contents/container to an approved waste disposal plant. 2.3 Other hazards - none

### 3. Composition/information on ingredients

Substance/Mixture: Substance 3.1 Substances

Hazardous components

Component	Classification	Concentration				
Copper dichloride						
	6.1 D; 6.3 A; 6.4 A; 9.1 A; H302,	<=100%				
	H315, H319, H400 M-Factor –					
	Aquatic Acute: 10					

#### 4. First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has led to haemolytic anaemia and accelerates arteriosclerosis., Gastrointestinal disturbance, Lowered blood pressure, Depending on the intensity and duration of exposure, effects may vary from mild irritation to severe destruction of tissue., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. 4.3 Indication of any immediate medical attention and special treatment needed No data available

## 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

### 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas.

Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### 7. Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Hygroscopic. Store under inert gas.

7.3 Specific end use(s)

No data available

#### 8. Exposure controls/personal protection

8.1 Control parameters

**Occupational Exposure Limits** 

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses

Skin protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

**Body Protection** 

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator If the respirator is the sole means of protection, use a full-face supplied air respirator.

#### 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties a) Appearance Form: powder b) Odour No data available c) Odour Threshold No data available d) pH No data available e) Melting point/freezing point Melting point/range: 620 °C - lit. f) Initial boiling point and boiling range 993 °C at 1,013.250 hPa g) Flash point Not applicable h) Evaporation rate No data available i) Flammability (solid, gas) No data available j) Upper/lower flammability or explosive limits No data available k) Vapour pressure No data available I) Vapour density No data available m) Relative density 3.386 g/mL at 25 °C n) Water solubility No data available o) Partition coefficient: n-octanol/water No data available p) Auto-ignition temperature No data available q) Decomposition temperature No data available r) Viscosity No data available

#### 10. Stability and reactivity

10.1 Reactivity
No data available
10.2 Chemical stability
No data available
10.3 Possibility of hazardous reactions
No data available
10.4 Conditions to avoid
No data available
10.5 Incompatible materials
Strong bases, Alkali metals
10.6 Hazardous decomposition products

Other decomposition products - No data available Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, Copper oxides

#### **11.** Toxicological information

11.1 Information on toxicological effects Acute toxicity LD50 Oral - Rat - 584 mg/kg LD50 Dermal Dermal - Rat - female - 1,224 mg/kg LD50 Intravenous - Rat - 5 mg/kg LD50 Intraperitoneal - Rat - 14.7 mg/kg Skin corrosion/irritation Skin - Rabbit - Irritating to skin. Serious eye damage/eye irritation Eyes - Rabbit - Risk of serious damage to eyes. Respiratory or skin sensitisation Maximisation Test - Guinea pig - OECD Test Guideline 406 - Does not cause skin sensitisation. Germ cell mutagenicity No data available Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. **Reproductive toxicity** No data available Specific target organ toxicity - single exposure No data available Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available Potential health effects Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Ingestion Harmful if swallowed. Skin Harmful if absorbed through skin. Causes skin irritation. Eves Causes eye burns. Signs and Symptoms of Exposure Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak

pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has lead to hemolytic anemia and accelerates arteriosclerosis., Gastrointestinal disturbance, Lowered blood pressure, Depending on the intensity and duration of exposure, effects may vary from mild irritation to severe destruction of tissue., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Additional Information RTECS: GL7000000

### **12.** Ecological information

12.1 Toxicity Toxicity to fish mortality LC50 - Cyprinus carpio (Carp) - 0.12 - 0.23 mg/l - 96.0 h Toxicity to daphnia and other aquatic invertebrates Immobilization EC50 - Daphnia magna (Water flea) - 0.04 mg/l - 48 h NOEC - Dreissena polymorpha (zebra mussel) - 0.013 mg/l - 63 d Toxicity to algae EC50 - Chlorella vulgaris (Fresh water algae) - 0.2 mg/l - 96 h 12.2 Persistence and degradability The methods for determining the biological degradability are not applicable to inorganic substances. 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment No data available 12.6 Other adverse effects Very toxic to aquatic life.

#### **13.** Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging Dispose of as unused product.

#### 14. Transport Information Table

		ADR/RID – European packaging	IMDG International Maritime Dangerous Goods Code	IATA – DGR International Air Travel Association – Dangerous	
		certification		Goods Regulations	
14.1	UN Number	2802	2802	2802	
14.2	UN Proper Shipping	COPPER	COPPER CHLORIDE	Copper Chloride	
	name	CHLORIDE			
14.3	Transport Hazard	8	8	8	
	Class				
14.4	Packaging group	III	III	Ш	
14.5	Environmental	Yes	Yes	No	
	Hazards				
14.6	Special precautions	No data available.			
	for user				

## 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture National regulatory information

HSNO Group Standard Approval: HSR002596 - Laboratory Chemicals and Reagent Kits Group Standard 2006

Tracking Required: not required Approved Handler Cert.: not required

#### 16. Disclaimer

The information above is believed to be accurate and represents the best information currently available to us. However, the information is not a guarantee expressed or implied, with respect to such information, and we assume no liability resulting from its use. Anyone using the chemical described here should ensure that he or she has the appropriate training and has the expertise and any equipment required for safe handling. If clarification or further information is required, please contact ECP Ltd or refer to the official handler of dangerous goods within your own company. The user should also make their own investigations to determine the suitability of the product for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.

\*\*\*\*END\*\*\*\*\*\*END\*\*\*\*\*\*END\*\*\*\*\*\*END\*\*\*\*\*\*END\*\*\*\*\*\*\*END\*\*\*