#### SDS 33078 Ethanol; Denatured

Date of Issue/re-issue: 17/01/2019

Expiry: 01/07/2024

#### **1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

**ECP Limited** 

Company Name Address:

39 Woodside Ave, Northcote, Auckland, New Zealand

Emergency Tel: 08	<b>Tel</b> +64 9 480 4386			<b>FAX</b> +64 9 480 4385			
Product	Ethanol; Dena	tured			Code		33078
CAS#	HSNO#	UN #	DG Class/es	Packing group	-	Tracking?	Handlers Certificate?
64-17-5 70% 7732-18-5 30%	HSR001144	1170	3	II		No	No

**Recommended use:** Laboratory Investigations

#### 2. Hazards identification

2.1 GHS ClassificationFlammable Liquids (Category B)Eye irritation (Category A)2.2 GHS Label elements, including precautionary statements



# Signal word **Danger**

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Precautionary statement(s)

Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection. Response

P303 + P361 + P353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. Storage

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

2.3 Other hazards

None

## 3. Composition/information on ingredients

Substance/Mixture: Substance

3.1 Substances

Hazardous components

Component	Classification	Concentration
Ethanol CAS 64-17-5 3.1 B; 6.4 A; H225, H319		70%
Water Cas 7732-18-5 Non hazardous		30%

#### 4. First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, respiratory paralysis, dizziness, narcosis, inebriation, euphoria, nausea, vomiting.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

## 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations.

## 7. Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build-up of electrostatic charge.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hygroscopic.

7.3 Specific end use(s) No data available

# 8. Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits Table

Component	CAS No	Value	Control	Basis
			parameters	
Ethanol	64-17-5	WES-	1000 ppm	New Zealand. Workplace Exposure Standards
		TWA	1880 mg/m <sup>3</sup>	for Atmospheric Contaminants
Water	7732-18-5		nil	

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards.

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm

Break through time: 480 min

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm

Break through time: 38 min

**Body Protection** 

Impervious clothing. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination or respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards.

## 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties a) Appearance Form: liquid, clear Colour: colourless b) Odour No data available c) Odour Threshold No data available d) pH No data available e) Melting point/freezing point -143.99 °C f) Initial boiling point and boiling range 78.0 - 80.0 °C g) Flash point 14.0 °C - closed cup h) Evaporation rate No data available i) Flammability (solid, gas) No data available j) Upper/lower flammability or explosive limits Upper explosion limit: 19 %(V) Lower explosion limit: 3.3 %(V) k) Vapour pressure 59.5 hPa at 20.0 °C I) Vapour density No data available m) Relative density 0.7974 g/cm<sup>3</sup> n) Water solubility completely soluble o) Partition coefficient: n-octanol/water log Pow: -0.349 at 24 °C p) Auto-ignition temperature 363.0 °C q) Decomposition temperature No data available r) Viscosity No data available

#### 10. Stability and reactivity

10.1 Reactivity
No data available
10.2 Chemical stability
No data available
10.3 Possibility of hazardous reactions
No data available
10.4 Conditions to avoid
Heat, flames and sparks.
10.5 Incompatible materials
Alkali metals, oxidizing agents, peroxides

10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions Carbon oxides Other decomposition products No data available **11.** Toxicological information 11.1 Information on toxicological effects Acute toxicity LD50 Oral - Rat - male and female - 10,470 mg/kg LC50 Inhalation - Rat - male and female - 4 h - 124.7 mg/l LC50 Inhalation - Rat - 4 h - 30,000 mg/l Skin corrosion/irritation Skin - Rabbit - No skin irritation - OECD Test Guideline 404 Serious eye damage/eye irritation Eyes - Rabbit - Causes serious eye irritation. - OECD Test Guideline 405 Respiratory or skin sensitisation Sensitisation test: - negative Remarks: (IUCLID) Germ cell mutagenicity Genotoxicity in vitro - Ames test - Salmonella typhimurium - with and without metabolic activation negative Genotoxicity in vitro - In vitro mammalian cell gene mutation test - Mouse lymphoma test - with and without metabolic activation - negative Genotoxicity in vivo - Mouse - male - Oral Carcinogenicity Carcinogenicity - Mouse - Oral Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors. Blood: Lymphomas including Hodgkin's disease. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. **Reproductive toxicity** Reproductive toxicity - Human - female - Oral Effects on Newborn: Apgar score (human only). Effects on Newborn: Other neonatal measures or effects. Effects on Newborn: Drug dependence. Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure Aspiration hazard No data available Potential health effects Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. May cause skin irritation. Eyes Causes serious eye irritation. Signs and Symptoms of Exposure Irritant effects, respiratory paralysis, dizziness, narcosis, inebriation, euphoria, nausea, vomiting. Additional Information

#### RTECS: KQ6300000

#### **12.** Ecological information

12.1 Toxicity Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - 15.3 mg/l - 96 h Toxicity to daphnia and other aquatic invertebrates LC50 - Ceriodaphnia dubia (water flea) - 5,012 mg/l - 48 h NOEC - Daphnia magna (Water flea) - 9.6 mg/l - 9 d Toxicity to algae EC50 - Chlorella vulgaris (Fresh water algae) - 275 mg/l - 72 h Method: OECD Test Guideline 201 12.2 Persistence and degradability Biodegradability aerobic - Exposure time 15 d Result: 95 % - Readily biodegradable. Method: OECD Test Guideline 301E 12.3 Bioaccumulative potential Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected. 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment No data available 12.6 Other adverse effects No data available

## 13. Disposal considerations

13.1 Waste treatment methods
Product
Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging
Dispose of as unused product.

# 14. Transport Information Table

		ADR/RID – European packaging certification	IMDG International Maritime Dangerous Goods Code	IATA – DGR International Air Travel Association – Dangerous Goods Regulations		
14.1	UN Number	1170	1170	1170		
14.2	UN Proper Shipping	ETHANOL	ETHANOL	Ethanol		
	name					
14.3	Transport Hazard	3	3	3		
	Class					
14.4	Packaging group	II	П	11		
14.5	Environmental	No	No	No		
	Hazards					
14.6	Special precautions	No data available				
	for user					

## **15. Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information HSNO Group Standard Approval: HSR002596 - Laboratory Chemicals and Reagent Kits Group Standard 2006 Tracking Required: not required Approved Handler Cert.: not required

#### 16. Disclaimer

The information above is believed to be accurate and represents the best information currently available to us. However, the information is not a guarantee expressed or implied, with respect to such information, and we assume no liability resulting from its use. Anyone using the chemical described here should ensure that he or she has the appropriate training and has the expertise and any equipment required for safe handling. If clarification or further information is required, please contact ECP Ltd or refer to the official handler of dangerous goods within your own company. The user should also make their own investigations to determine the suitability of the product for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.

\*\*\*\*END\*\*\*\*\*\*END\*\*\*\*\*\*END\*\*\*\*\*\*END\*\*\*\*\*\*END\*\*\*\*\*\*END\*\*\*