

Safety Data Sheet

Date of Issue: 25.09.2020 Date of Expiry: 25.09.2025

1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Company Name : ECP Limited

Address : PO Box 34125, Birkenhead, Auckland 0746

Telephone : +64 9 480 4386 Facsimile : +64 9 480 4385

Emergency phone number : 0800 243 622 (24 hours)

| Product | Dimethyl Sulfoxide | Code | 2200 |
|---------|--------------------|------|------|
|---------|--------------------|------|------|

Recommended use : Laboratory Investigations

2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008. This substance is not classified as dangerous according to Directive 67/548/EEC.

2.2 Label elements

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulate and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Rapidly absorbed through skin.

Other Information This product may cause an unusual garlic-onion-oyster smell on body and breath.

DMSO readily penetrates the skin and may carry other dissolved chemicals into the

body.

3: Composition/information on ingredients

3.1 Substances

Synonyms: DMSO, Methyl sulfoxide

Formula : C2H6OS

Molecular weight : 78,13 g/mol
CAS-No. : 67-68-5

EC-No. : 200-664-3

No components need to be disclosed according to the applicable regulations.

4: First aid measures

Inhalation Remove affected person from exposure. Keep at rest until fully recovered. If

symptoms persist seek medical attention.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. If symptoms persist

seek medical attention.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and

hair with running water. Seek medical attention.

Eye If in eyes, immediately hold eyelids apart and flush the eyes continuously with

running water. Continue flushing for several minutes until all contaminants are

washed off completely. Seek immediate medical attention.

First Aid Facilities Eye wash station and normal washroom facilities.

Advice to Doctor Treat symptomatically.

Other Information For advice in an emergency, contact a Poisons Information Centre (Phone e.g.

Australia 13 1126; New Zealand 0800 POISON / 0800 764 766) or a doctor at

once.

5: Firefighting measures

Suitable Extinguishing

Media Foam, dry chemical powder, carbon dioxide, water fog or water spray.

Hazards from

Under fire conditions this product may emit toxic and/or irritating fumes, smoke Combustion Products and gases including carbon monoxide, carbon dioxide and oxides of sulphur.

Specific Hazards Combustible liquid. This product will burn if exposed to fire. Possibility of

explosive reactions with organic and inorganic chlorides, bromides (sulphur, phosphorus, methyl) potassium or sodium hydride. Under fire conditions this

product may be violently or explosively reactive.

Decomposition Temp. >190°C

Precautions in connection with Fire

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) and full protective clothing to prevent exposure to vapours, fumes, or products of combustion. Water spray may be used to cool down heat-exposed containers.

6: Accidental release measures

Emergency Procedures Increase ventilation. Remove all sources of ignition. Evacuate all unprotected personnel. Do not allow contact with skin and eyes. Do not breathe mist/vapour. It is essential to wear self-contained breathing apparatus (S.C.B.A) and full personal protective equipment and clothing to prevent exposure. Avoid exposure to spillage by collecting the material using explosion proof vacuum and transfer into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7: Handling and storage

Precautions for Safe Handling

Avoid contact with skin and eyes. Wear overalls, impervious gloves and safety glasses. Use only in well ventilated areas. Avoid breathing vapour or spray mist. Keep containers closed when not in use. Do not empty into drains. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers. Maintain high standards of personal hygiene ie. washing hands prior to eating, drinking, smoking, or using toilet facilities.

Storage

Conditions for Safe Store in a cool, dry, well ventilated area away from oxidising agents, acids and bases. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids.

Storage Regulations

Australia: Classified as a Class C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS1940. This product should be stored and used in a well-ventilated area away from naked flames, sparks, and other sources of ignition.

8: Exposure controls/personal protection

National Exposure Standards

No exposure standards have been established for the mixture by Safe Work Australia or the Occupational Safety and Health Service (OSH) of the New Zealand Department of Labour. However, over-exposure to some chemicals may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels.

Biological Limit Values

No biological limits allocated.

Engineering Controls Provide sufficient ventilation to keep airborne levels below the exposure as low as possible. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a flameproof exhaust ventilation system is required. Alternatively, a process enclosure system such as a fume cupboard should be employed.

Respiratory **Protection**

If engineering controls are not effective in controlling airborne exposure, then an approved respirator should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye Protection

Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

Hand Protection

Wear laminated film or other impervious, suitable gloves. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Body Protection

Suitable protective clothing should be worn e.g. cotton overalls buttoned at neck and wrist. When large quantities are handled the use of plastic aprons and rubber boots is recommended.

9: Physical and chemical properties

Appearance : Clear yellow liquid
Odour : Characteristic odour

Decomposition Temperature : >190°C
Melting Point : 18.4°C
Boiling Point : 189°C

Solubility in Water : Soluble at 20°C

Specific Gravity : 1.10

pH Value : Not available Vapour Pressure : 0.55 mbar at 20°C

Vapour Density (Air=1) :>1

Viscosity : 2.14 mPa.s at 20°C

Volatile Component : 100% Flash Point : 87°C

Flammability : Combustible liquid

Auto-Ignition Temperature : 215°C Flammable Limits - Lower : 3% Flammable Limits - Upper : 63%

10: Stability and reactivity

Chemical Stability Stable under normal conditions of storage and handling.

Conditions to Avoid Heat, open flames, and other sources of ignition.

Incompatible Materials
Dangerous reaction with organic and inorganic acid chlorides, bromides

(sulphur, phosphorus, methyl), potassium or sodium hydride. Reacts

dangerously with strong oxidizing agents.

Hazardous Thermal decomposition may result in the release of toxic and/or irritating

Decomposition Products fumes including carbon monoxide, carbon dioxide and oxides of sulphur.

Hazardous

Polymerization Will not occur.

11: Toxicological information

Toxicology Information Given below:

Human experience in industry: Skin irritant. Histaminic type reaction.

Inhalation Vapours or spray mist may be irritating to the respiratory system.

Ingestion Ingestion of this product may irritate the gastric tract, causing nausea and

vomiting.

Skin Irritating to skin. It may cause redness and itching.

Eye Irritating to eyes. May cause stinging, redness and tearing of the eyes.

Chronic Effects Not available

Acute Toxicity - Oral LD50 (Rat): : 15-20 g/kg.

12: Ecological information

Ecotoxicity Not available
Persistence / Degradability Not available
Mobility Not available
Bioaccumulative Potential Not available

Environment Protection Do not allow product to enter drains, waterways, or sewers.

13: Disposal considerations

Disposal Considerations

Product Disposal:

Product wastes are controlled wastes and should be disposed of in accordance with all applicable local and national regulations. This product can be disposed through a licensed commercial waste collection service. In this specific case the product is a combustible substance and therefore can be sent to an approved high temperature incineration plant for disposal.

Personal protective clothing and equipment as specified in Section 8 of this SDS must be worn during handling and disposal of this product. The ventilation requirements as specified in the same section must also be followed, and the precautions given in Section 7 of this SDS regarding handling must also be followed.

Do not dispose into the sewerage system. Do not discharge into drains or watercourses or dispose where ground or surface waters may be affected.

In New Zealand, the disposal agency or contractor must comply with the New Zealand Hazardous Substances (Disposal) Regulations 2001. Further details regarding disposal can be obtained on the EPA New Zealand website under specific group standards.

Container Disposal:

The container or packaging must be cleaned and rendered incapable of holding any substance. It can then be disposed of in a manner consistent with that of the substance it contained. In this instance the packaging can be disposed through a commercial waste collection service.

Alternatively, the container or packaging can be recycled if the hazardous residues have been thoroughly cleaned or rendered non-hazardous.

In New Zealand, the packaging (that may or may not hold any residual substance) that is lawfully disposed of by householders or other consumers through a public or commercial waste collection service is a means of compliance with regulations.

14: Transport Information Table

Transport Information

Australia:

Not classified as Dangerous Goods, according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).

Poisons Schedule

National and or International Regulatory Information

New Zealand:

Classified as Hazardous according to the New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.

All components of this product are listed on the New Zealand Inventory of Chemicals (NZIoC) or exempted.

HSNO (CCID) Name: Dimethyl sulphoxide.

Irritant

All constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

15: Regulatory information

Regulatory Australia:

Information Classified as Hazardous according to criteria of National Occupational

Health & Safety Commission (NOHSC), Australia.

Classified as a Scheduled Poison according to the Standard for the

Uniform Scheduling of Medicines and Poisons (SUSMP).

Poisons

Schedule S6

National and or New Zealand:

International Classified as Hazardous according to the New Zealand Hazardous **Regulatory** Substances (Minimum Degrees of Hazard) Regulations 2001.

Information All components of this product are listed on the New Zealand Inventory

of Chemicals (NZIoC) or exempted. HSNO (CCID) Name: Dimethyl sulphoxide

16: Disclaimer

The information above is believed to be accurate and represents the best information currently available to us. However, the information is not a guarantee expressed or implied, with respect to such information, and we assume no liability resulting from its use. Anyone using the chemical described here should ensure that he or she has the appropriate training and has the expertise and any equipment required for safe handling. If clarification or further information is required, please contact ECP Ltd or refer to the official handler of dangerous goods within your own company. The user should also make their own investigations to determine the suitability of the product for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.

****END******END*******END*******