

# Safety Data Sheet

Date of Issue: 13.06.2022 Date of Expiry: 13.06.2027

# 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Company Name : ECP Limited

Address : PO Box 34125, Birkenhead, Auckland 0746

Telephone : +64 9 480 4386 Facsimile : +64 9 480 4385

Emergency phone number : 0800 243 622 (24 hours)

Product Name	Ethanol Undenatured 80% v/v (70% w/v)	
Product Code	22941	
CAS No.	64-17-5	

Recommended use : Laboratory Investigations

# 2: Hazard's identification

# 2.1 GHS Classification

Eye Damage/Irritation: Category 2A Flammable Liquids: Category 2





#### Signal Word (s) DANGER

#### **Hazard Statement:**

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

#### **Precautionary Statement – Prevention**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/.../equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### **Precautionary statement – Response**

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P362 Take off contaminated clothing and wash before reuse.

#### **Precautionary statement – Storage**

P403+P235 Store in a well-ventilated place. Keep cool.

# **Precautionary statement – Disposal**

P501 Dispose of contents/container to an approved waste disposal plant.

# 3: Composition/information on ingredients

Component	Classification	Concentration	
Ethanol	3.1 B; 6.4 A; H225, H319	<=70%	
Water		<= 30%	

#### 4: First aid measures

# 4.1 Description of first aid measures

General advice:

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled:

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact:

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact:

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed:

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, respiratory paralysis, dizziness, narcosis, inebriation, euphoria, nausea, vomiting.

# **4.3 Indication of any immediate medical attention and special treatment needed**No data available

#### 5: Firefighting measures

#### 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **5.4 Further information**

Use water spray to cool unopened containers.

# 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations.

# 7: Handling and storage

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build-up of electrostatic charge.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hygroscopic.

#### 7.3 Specific end use(s)

No data available

# 8: Exposure controls/personal protection

#### 8.1 Control parameters

**Occupational Exposure Limits Table** 

Component	CAS No.	Value	Control parameters	Basis
Ethanol	64-17-	WES-	1000 ppm	New Zealand. Workplace Exposure
	5	TWA	$1880 \text{ mg/m}^3$	Standards for Atmospheric Contaminants

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

#### **Eye/face protection**

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards.

# **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

# **Body Protection**

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type or respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards.

#### 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Form : Liquid

Appearance : Colourless, transparent, volatile liquid.

Odour : Ethereal vinous odour.

Melting Point : -117.3 °C - 100%

: -114 °C - 95%

Boiling Point : 78.3 °C - 100%

78 °C - 95%

Solubility in Water : Miscible.

Solubility in Solvents : Organic Miscible with methanol, ether, chloroform and

acetone.

Specific Gravity : 0.7893 - 100%

0.8042 - 95% 0.8676 - 70% 70 - 100%

Volatile Component : 70 - 100% Flash Point : 9 °C - 100%

12.7 °C - 95%

Flammability : HIGHLY FLAMMABLE. Keep away from heat, sparks

or naked flames. Use flameproof equipment and fittings to prevent flammability risk. Electrically link and ground metal containers for transfer of the product to prevent accumulation of static electricity. Ensure adequate ventilation to prevent an explosive vapour-air mixture. Vapours will travel considerable distances to sources of

ianition.

Auto-Ignition Temperature : 422 °C - 95% Flammable Limits - Lower : 3.5% - 100% Flammable Limits - Upper : 19% - 100%

Molecular Weight : 46.08

# 10: Stability and reactivity

#### 10.1 Chemical Stability:

Stable under normal use conditions.

# 10.2 Conditions to Avoid

Heat, sparks, flame and build-up of static electricity.

#### 10.3 Incompatible Materials:

Oxidising agents, peroxides, acids, acid chlorides, acid anhydrides, alkali metals and ammonia.

# 10.4 Hazardous Decomposition Product :

Products May liberate toxic fumes in fire producing carbon monoxide and or carbon dioxide.

#### 10.5 Hazardous Polymerization:

Will not occur.

# 11: Toxicological information

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - male and female - 10,470 mg/kg

LC50 Inhalation - Rat - male and female - 4 h - 124.7 mg/l

LC50 Inhalation - Rat - 4 h - 30,000 mg/l

Skin corrosion/irritation

Skin - Rabbit - No skin irritation - OECD Test Guideline 404

Serious eye damage/eye irritation

Eyes - Rabbit - Causes serious eye irritation. - OECD Test Guideline 405

Respiratory or skin sensitisation

Sensitisation test: - negative

Remarks: (IUCLID)

Germ cell mutagenicity

Genotoxicity in vitro - Ames test - Salmonella typhimurium - with and without metabolic activation - negative

Genotoxicity in vitro - In vitro mammalian cell gene mutation test - Mouse lymphoma test - with and without metabolic activation - negative

Genotoxicity in vivo - Mouse - male - Oral

# Carcinogenicity

Carcinogenicity - Mouse - Oral

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors. Blood: Lymphomas including Hodgkin's disease.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

Reproductive toxicity - Human - female - Oral

Effects on Newborn: Apgar score (human only). Effects on Newborn: Other neonatal measures or effects. Effects on Newborn: Drug dependence.

Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure

Aspiration hazard

No data available

#### Potential health effects

Inhalation

May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion

May be harmful if swallowed.

Skin

May be harmful if absorbed through skin. May cause skin irritation.

Eyes

Causes serious eye irritation.

Signs and Symptoms of Exposure

Irritant effects, respiratory paralysis, dizziness, narcosis, inebriation, euphoria, nausea, vomiting.

# 12: Ecological information

#### 12.1 Toxicity

Toxicity to fish

flow-through test

LC50 - Pimephales promelas (fathead minnow) - 15.3 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates

LC50 - Ceriodaphnia dubia (water flea) - 5,012 mg/l - 48 h

NOEC - Daphnia magna (Water flea) - 9.6 mg/l - 9 d

Toxicity to algae

EC50 - Chlorella vulgaris (Fresh water algae) - 275 mg/l - 72 h

Method: OECD Test Guideline 201

# 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 15 d Result: 95 % - Readily biodegradable.

Method: OECD Test Guideline 301E

### 12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Other adverse effects

No data available

# 13: Disposal considerations

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

# **Contaminated packaging**

Dispose of as unused product.

# 14: Transport Information Table

		ADR/RID – European packaging certification	IMDG International Maritime Dangerous Goods Code	IATA - DGR International Air Travel Association - Dangerous Goods Regulations
14.1	UN Number	1170	1170	1170
14.2	UN Proper	ETHANOL	ETHANOL	Ethanol
	Shipping name			

14.3	Transport	3	3	3
	Hazard Class			
14.4	Packaging group		II	II
14.5	Environmental	No	No	No
	Hazards			
14.6	Special	No data available		
	precautions for			
	user			

Hazchem Code •2YE

### 15: Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulatory information** 

HSNO Group Standard Approval: HSR002596 - Laboratory Chemicals and Reagent Kits

Group Standard 2006

Tracking Required: not required Approved Handler Cert.: not required

# 16: Disclaimer

The information above is believed to be accurate and represents the best information currently available to us. However, the information is not a guarantee expressed or implied, with respect to such information, and we assume no liability resulting from its use. Anyone using the chemical described here should ensure that he or she has the appropriate training and has the expertise and any equipment required for safe handling. If clarification or further information is required, please contact ECP Ltd or refer to the official handler of dangerous goods within your own company. The user should also make their own investigations to determine the suitability of the product for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.